













Land north of Stoke Road and west of Clint Road, TSS0453100



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a


Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020














Land north of B1068 and east of Sudbury Road, Storrington, Babergh District, Norfolk



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.

0 5 10 20
Metres

Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020














Land east of The Street, Bramford

SS0478



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020



B1113

LOH



Land east of Mitchery Lane, Rattlesden

SS0500



Legend

- BMSDC Potential Allocation Sites 21-05-2020
- Babergh District
- Mid Suffolk District
- Flood Zone 3
- Fluvial Q100+35% CC (undefended)
- Fluvial Q100+65% CC (undefended)
- Tidal Q200 UKCP18 Higher Central (70%) (undefended)
- Tidal Q200 UKCP18 Upper End (95%) (undefended)
- Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020














Angel Court, Angel Street, Hadleigh

SS0502



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run.

Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey
 on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020














Land north-east of Valley View, Stanstead

SS0503



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.

0 3.75 7.5 15
Metres

Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey
 on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be
 reproduced in whole or in part, nor disclosed to a third party, without the permission of
 Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020














Council Depot, Wenham Magna

SS0507



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2



For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020















Land north of Newton Road, Sudbury

SS0509



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2



For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey
 on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be
 reproduced in whole or in part, nor disclosed to a third party, without the permission of
 Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020




ROAD
Medical Care












Land east of Upper Street, Stanstead

SS0512



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020














Land between New Road and Leys Road, Tostock

SS0513



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.

0 4.75 9.5 19
Metres

Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey
 on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be
 reproduced in whole or in part, nor disclosed to a third party, without the permission of
 Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020














Land south-east of Duke Street, Hintlesham

SS0517



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run.

Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.

0 5 10 20
Metres


Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey
 on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810


This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





Land south of Pretyman Avenue, Bacton



Legend

- BMSDC Potential Allocation Sites 21-05-2020
- Babergh District
- Mid Suffolk District
- Flood Zone 3
- Fluvial Q100+35% CC (undefended)
- Fluvial Q100+65% CC (undefended)
- Tidal Q200 UKCP18 Higher Central (70%) (undefended)
- Tidal Q200 UKCP18 Upper End (95%) (undefended)
- Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020














Former Mid Suffolk District Council Offices and Car Park, Needham Market



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





Land east of Norwich Road, Mendlesham

SS0536












Memorial Farm

A140 NORWICH ROAD



Brockford House

Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020














Former Babergh District Council Offices, Hadleigh


SS0537



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020














Land south of the B1118, Brome and Oakley

SS0542



B1118

Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run.

Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.

0 4.75 9.5 19
Metres

Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey
 on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be
 reproduced in whole or in part, nor disclosed to a third party, without the permission of
 Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020















Land south of Old Stowmarket Road, Woolpit

SS0547

OLD STOWMARKET ROAD



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a


Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020














Land east of Withersdale Road, opposite Mendham Primary School, Mendham




Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run.

Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020





Land east of Norwich Road, Barham

SS0551












Sharpstone
Street

NORWICH ROAD

Medical Care

Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey
 on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be
 reproduced in whole or in part, nor disclosed to a third party, without the permission of
 Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020














Land to the south of Long Thurlow Road, Long Thurlow


SS0558



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020














Land east of A140 The Street, Wetheringsett

SS0570



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey
 on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020















Land south of Church Road, Worlingworth

SS0573



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2



For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run.

Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.

0 4.25 8.5 17
Metres

Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey
 on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020














Land east of Queen Street, Stradbroke

SS0575



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020














Land north of Red Hill Road/ Malyon Road, Hadleigh


SS0584



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020






Land south of High Road, Leavenheath










SS0587



HIGH ROAD



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020














Land east of Waldringfield Road and north of Churchfields Road, Sudbury



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020















**6 Acre Field,
Belstead**

SS0591

HOLLY LANE



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020














Land south-west of London Road, Copdock and Washbrook

SS0593



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run.

Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.

0 5 10 20
Metres


Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey
 on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810


This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





Land to the north-east of the junction between The Street and Cedars Hill, Wetheringsett



Legend

- BMSDC Potential Allocation Sites 21-05-2020
- Babergh District
- Mid Suffolk District
- Flood Zone 3
- Fluvial Q100+35% CC (undefended)
- Fluvial Q100+65% CC (undefended)
- Tidal Q200 UKCP18 Higher Central (70%) (undefended)
- Tidal Q200 UKCP18 Upper End (95%) (undefended)
- Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a


Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020














Land north of Barking Road and west of Hascot Hill, SS0603 Barking



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run.

Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.

0 5 10 20
Metres

Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020














Land east of Bowl Road and north-west of Cobbold SS0612e, Battisford



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey
 on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020














Land north of Millfield, Eye


SS0614



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020














Land at allotments north of Millfield, Eye

SS0615



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020














Land east of Mill Road, Laxfield

SS0616



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020



N

Land west of London Road, Copdock and Washbrook

SS0620



Legend

- BMSDC Potential Allocation Sites 21-05-2020
- Babergh District
- Mid Suffolk District
- Flood Zone 3
- Fluvial Q100+35% CC (undefended)
- Fluvial Q100+65% CC (undefended)
- Tidal Q200 UKCP18 Higher Central (70%) (undefended)
- Tidal Q200 UKCP18 Upper End (95%) (undefended)
- Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run.

Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020














Land to north of Ipswich Road, Nedging-with-Naughton

SS0628



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run.

Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020














Land between Bramford Road and the A14, Bramford

SS0636



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run.

Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020














Land south-west of Rembrow Road, Capel St Mary

SS0637



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.

0 5 10 20
Metres

Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





Land to the north of Low Road, Debenham

Debenham Hall Cottages


Education Facility

Sports/Leisure Centre










SS0642

SACKVILLE STREET
HENRY STREET
BLOOMFIELD WAY
RAEDWALD WY
WELLS WY
SAXON CL

Debenham Hall



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.

0 45 90 180
Metres

Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020






Land south of Hadleigh Road, Elmsett

SS0644




HADLEIGH ROAD



Legend

- BMSDC Potential Allocation Sites 21-05-2020
- Babergh District
- Mid Suffolk District
- Flood Zone 3
- Fluvial Q100+35% CC (undefended)
- Fluvial Q100+65% CC (undefended)
- Tidal Q200 UKCP18 Higher Central (70%) (undefended)
- Tidal Q200 UKCP18 Upper End (95%) (undefended)
- Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810


This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020















Land south of Chalk Hill Lane and West of Hood Drive, Great Blakenham



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020














Land to the east of Tannery Road, Combs

SS0655



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2


For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020














Land south of Creeting Road West, Stowmarket

SS0668



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey
 on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020














Former Needham Market Middle School, Needham Market

SS0669



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Flood Zone 3
-  Fluvial Q100+35% CC (undefended)
-  Fluvial Q100+65% CC (undefended)
-  Tidal Q200 UKCP18 Higher Central (70%) (undefended)
-  Tidal Q200 UKCP18 Upper End (95%) (undefended)
-  Flood Zone 2

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3a, for the undefended scenario. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA. For the rest of the study area it has been assumed that present Flood Zone 2 represents future Flood Zone 3.



Appendix J - Future Flood Zone 3a

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020



Education
Facility

Library

THE CHURCH

SOUTH STREET