




Land north of Long Thurlow Road, Badwell Ash

SS0814



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)



For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.



DATE DRAWN:
20/08/2020





Land south of The Street, Hunston

SS0815



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b



Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020






Land south of B1113 Hall Lane, opposite junction with Half Moon Lane, Redgrave



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.



DATE DRAWN:
20/08/2020





Land west of Church Lane, Bentley

SS0820



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020





Land west of B1118, Wilby


SS0825



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





Land west of Main Road, Henley

SS0832



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020





Land west Gislingham Road, Finningham

SS0849



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.


0 5 10 20
Metres

Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





Land south of Church Road, Bacton

SS0859

Educational
Facility



Legend

- BMSDC Potential Allocation Sites 21-05-2020
- Babergh District
- Mid Suffolk District
- Functional Floodplain (Flood Zone 3)
- Functional Floodplain (Detailed Modelling)
- Fluvial Q20+35% CC (Defended)
- Fluvial Q20+65% CC (Defended)
- Tidal Q20 UKCP18 Higher Central (70%) (Defended)
- Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020





Land to the east of Pear Tree Place, Great Finborough

SS0860



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





Land south of Church Lane, Claydon

SS0861



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)


For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020





Land north of B1123,
Metfield

SS0863



Legend

- BMSDC Potential Allocation Sites 21-05-2020
- Babergh District
- Mid Suffolk District
- Functional Floodplain (Flood Zone 3)
- Functional Floodplain (Detailed Modelling)
- Fluvial Q20+35% CC (Defended)
- Fluvial Q20+65% CC (Defended)
- Tidal Q20 UKCP18 Higher Central (70%) (Defended)
- Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.




Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





**Land north of Gipping Road,
Great Blakenham**

SS0864



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b


Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey
 on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be
 reproduced in whole or in part, nor disclosed to a third party, without the permission of
 Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





Land to the north-east of Pond Hall Lane, Hadleigh SS0867



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020





Land west of Bildeston Road, Combs

SS0869



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020





Land east of Richardson Lane, Chelmondiston

SS0872



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.

0 12.5 25 50
Metres

Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey
 on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be
 reproduced in whole or in part, nor disclosed to a third party, without the permission of
 Jeremy Benn Associates Ltd.



DATE DRAWN:
20/08/2020





Land to the south-east of The Street, Little Waldingfield

SS0874



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020





Land north of Woodlands Road, Raydon


SS0877



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020



Raydon

Land east of The Street,
Raydon

SS0880



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





Land south of Low Road, Debenham

SS0902



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b


Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





Land west of Aldham Mill Hill and east of Gallows Hill, Hadleigh



Legend

- BMSDC Potential Allocation Sites 21-05-2020
- Babergh District
- Mid Suffolk District
- Functional Floodplain (Flood Zone 3)
- Functional Floodplain (Detailed Modelling)
- Fluvial Q20+35% CC (Defended)
- Fluvial Q20+65% CC (Defended)
- Tidal Q20 UKCP18 Higher Central (70%) (Defended)
- Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.




Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020






Land south-west of Rembrow Road, Capel St Mary



SS0910



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.




Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020





**Land to the west of A14,
Claydon**

SS0916



Legend

- BMSDC Potential Allocation Sites 21-05-2020
- Babergh District
- Mid Suffolk District
- Functional Floodplain (Flood Zone 3)
- Functional Floodplain (Detailed Modelling)
- Fluvial Q20+35% CC (Defended)
- Fluvial Q20+65% CC (Defended)
- Tidal Q20 UKCP18 Higher Central (70%) (Defended)
- Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey
 on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be
 reproduced in whole or in part, nor disclosed to a third party, without the permission of
 Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





Land east of London Road, Copdock and Washbrook



Legend

- BMSDC Potential Allocation Sites 21-05-2020
- Babergh District
- Mid Suffolk District
- Functional Floodplain (Flood Zone 3)
- Functional Floodplain (Detailed Modelling)
- Fluvial Q20+35% CC (Defended)
- Fluvial Q20+65% CC (Defended)
- Tidal Q20 UKCP18 Higher Central (70%) (Defended)
- Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





Lane west of London Road and south of Folly Lane, SS0919 Gopdock and Washbrook



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020






Land south of New Road and north of A14, Tostock

SS0924



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)



For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%.

For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run.

Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.

0 5 10 20
Metres

Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020





Land west of Old Ipswich Road, Claydon

SS0926



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.

0 5 10 20
Metres

Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020





Land at Eye Airfield, Eye

SS0928



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





Land north-east of Tot Hill, Stowmarket

Victoria Lodge

SS0930



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%.

For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run.

Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b


Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





Land east of High Street & Harefield Rd and west of A134, Long Melford



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





Land east of Bramford Road / B1067, Bramford

SS0937



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)


For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.




Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020



Land east of Rectory Hill and south of The Street, R5S0939, Kinghall



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020





Land north of Newton Road / A134, Great Cornard

SS0942



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





Land north of Elm lane, Copdock and Washbrook

SS0944



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b



Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





Land south of Mill Lane and west of London Road, SS0945 Copdock and Washbrook



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





The Hollies, Chilton Airfield, Chilton


SS0948
Great
Waldingfield



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020





Land north of Mill Road, Botesdale and Rickinghall

SS0949



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020





Land south of Gipping Road, Great Blakenham

SS0952



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810

This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





Land to the west of Hadleigh Road, Sproughton

SS0954



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





Highfield Mill, Sudbury

SS0968



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





Former Mid Suffolk District Council Offices and Car Park, Needham Market




Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)



For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020





Land north of B1118, Oakley


SS1011



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020





Land to the west of A1141, Cockfield

SS1018



Legend

-  BMSDC Potential Allocation Sites 21-05-2020
-  Babergh District
-  Mid Suffolk District
-  Functional Floodplain (Flood Zone 3)
-  Functional Floodplain (Detailed Modelling)
-  Fluvial Q20+35% CC (Defended)
-  Fluvial Q20+65% CC (Defended)
-  Tidal Q20 UKCP18 Higher Central (70%) (Defended)
-  Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.




Appendix K- Future Flood Zone 3b


Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020





Land west of Ballingdon Hill and south of Sandy Lake, Sudbury



Legend

- BMSDC Potential Allocation Sites 21-05-2020
- Babergh District
- Mid Suffolk District
- Functional Floodplain (Flood Zone 3)
- Functional Floodplain (Detailed Modelling)
- Fluvial Q20+35% CC (Defended)
- Fluvial Q20+65% CC (Defended)
- Tidal Q20 UKCP18 Higher Central (70%) (Defended)
- Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.




Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.


DATE DRAWN:
20/08/2020





Land west of Bourne Hill,
Wherstead

SS1020



Legend

- BMSDC Potential Allocation Sites 21-05-2020
- Babergh District
- Mid Suffolk District
- Functional Floodplain (Flood Zone 3)
- Functional Floodplain (Detailed Modelling)
- Fluvial Q20+35% CC (Defended)
- Fluvial Q20+65% CC (Defended)
- Tidal Q20 UKCP18 Higher Central (70%) (Defended)
- Tidal Q20 UKCP18 Upper End (95%) (Defended)

For the purposes of this SFRA, the latest climate change allowances have been used to consider climate change for Flood Zone 3b, for the defended scenario, where detailed models were available. For the fluvial models, this used the peak river flow allowances for the Anglian River Basin District of 35% and 65%. For the tidal models, UKCP18 RCP8.5 higher central (70th) and upper end (95%) uplifts for 2125 have been run. Where the latest climate change allowances were not available for existing models, models have been re-run where there are potential development sites. If there were no potential development sites in a model domain, then the model has not been re-run as part of the SFRA.



Appendix K- Future Flood Zone 3b

Contains Environment Agency information © Environment Agency and/or database right
 Reproduced from Ordnance Survey mapping with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. (2020)
 Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings.
 100023274 100017810
 This document is the property of Jeremy Benn Associates Ltd. It shall not be reproduced in whole or in part, nor disclosed to a third party, without the permission of Jeremy Benn Associates Ltd.

DATE DRAWN:
20/08/2020



Bourne

BOURNE HILL